


ROLLER SHUTTER 3

Flush-mounted module to control
blinds and gates



Smart control of blinds and gates


Roller Shutter 3 is the new version of FIBARO shutter and gate control module based on the Z-Wave 5 protocol. Equipped with the latest version of the protocol, the module allows for even more convenient and efficient roller blinds management in your smart home. The power measurement feature provides precise information about energy consumption.




Blinds



Roller blinds



Windows



Curtains



Entry gates



Garage doors

Comfortable roller blinds management

The module allows you to manage blinds and roller blinds at home. While sitting on the couch or lying already comfortably in bed you don't need to worry about getting up and doing it manually to have them covered exactly as you like it. Just say the voice command and have the blinds shut for the time of watching the movie. In combination with FIBARO sensors, blinds will be opened automatically when you approach the window in the morning. Moreover, thanks to the Local protection feature, you can lock the wall switches controls so that children cannot control them on their own.

Remote blinds and gates management

Is now possible with Roller Shutter 3 connected to the devices. Furthermore, you can easily run it manually or manage it remotely through the app or just set up scenes and automations. Anywhere you are and at any time, close or open the gates and blinds.

Closing roller blinds of the entire house

By synchronizing an alarm system with Roller Shutter 3 you can close all the blinds and gates with one simple push of a button while leaving the house.

DÉ DOMOTICA SHOP

Adaptation to weather conditions

Roller Shutter 3 synchronized with weather plugin will adjust the degree of blinds and roller shutters closure depending on the weather conditions. This will help to maintain the right temperature in the house and consequently reduce spendings on heating or air conditioning.



DÉ DOMOTICA SHOP


Safe house

Setting up an alarm scene assuming that if smoke or carbon monoxide is detected, the FIBARO system will open the blinds and windows to prevent the development of dangerous events in your home.

FIBARO
DÉ DOMOTICA SHOP

Fits everywhere


FIBARO modules are really tiny! The pocket-size of smart devices makes them fit most standard flush-mount installation boxes and switches sockets. Wireless Z-Wave communication and solutions developed by engineers provide an average range of 14.5 m.



Simple installation

You will be surprised how easy it is to install FIBARO Roller Shutter 3.

You can do it yourself or use the help of a professional installer who is a part of the official FIBARO partner network.



Click and download
connection diagram


Works with different types of switches

Thanks to the possibility of mounting the module directly in the box, the device is universal for different types of switches — monostable, bistable and roller blind. Installed in the light switch allows to control a single lighting circuit.



Energy Measurement

Power consumption of particular devices connected to FIBARO Roller Shutter 3 is constantly monitored and reported by the smart home system. Monitor the current consumption, plan the work of connected devices and save energy!




Wireless updates

FIBARO Roller Shutter 3 has an automatic software update feature.
Just one simple click in the mobile app doest the trick.



Join the world of FIBARO





D É D O M O T I C A S H O P

fibaro.com