

PHILIPS

Hue White and colour ambience

Starter kit E27

White and coloured light

Hue Bridge included Control with app or voice*

Dimmer switch included

8718699696917

Easy smart lighting

Add ambient colour to any room with the Philips Hue White and colour ambience E27 starter kit. Connect to the included Hue Bridge to take advantage of an endless list of features. Control via the app, voice or the included Switches.

Limitless possibilities

- Get in the mood with warm to cool white smart lights
- · Play with smart colour lights
- Away-from-home smart light control
- Sync your media to smart lights
- · Wireless control with included dimmer switch



Highlights

Get in the mood



Use over 50,000 shades of warm to cool white light to put you in the mood to work, play, or relax — no matter what time of day it is. Start your morning off on the right foot with cool, energising bright white light, or settle down for the night with golden tones.

Play with smart colour lights



There's no limit with Philips Hue: with over 16 million colours, you can transform your home into the perfect party venue, bring a bedtime story to life and much more. Use preset, coloured light scenes to evoke the feeling of summer any time you'd like, or use your own photo to relive a special memory.

Control lights away from home



The Philips Hue app gives you complete control over your lights, even if you're not at home. Switch your lights off and on remotely using just the app to ensure your home is always lit the way you want it.

Sync your media to lights



With the Hue Sync app and the Hue Bridge, you can bring your entertainment to new heights. Surround yourself with Philips Hue lights and turn on your film, music or game, and then watch your lights mirror the colours and rhythm.

Wireless control



With the battery-powered dimmer switch, you can control up to 10 smart lights simultaneously. The switch — which can be removed from its wall mount and used as a remote control — allows you to dim and brighten your lights or cycle through four preset light recipes

Specifications

Environmental

- Operational humidity: 5% <H<95% (non-condensing)
- Operational temperature: -20°C to 40°C

Guarantee

• 2 years: Yes

The bridge

- Max. number of accessories: 12
- · Max. number of bulbs: 50
- Power adapter: 100–240 V AC / 50– 60 Hz

The bulb

· Energy efficiency label: A+

· Fitting: E27

· Lifetime: 25.000 h

• Number of switching cycles: 50,000

· Wattage: 9 W

· Communication protocol: Bluetooth

and Zigbee

Deep dimmable: Yes

· Software upgradable: When connected to Bluetooth App or Hue Bridge

The switch

· Batteries included: 1 x CR2450

· Lifetime: 50000

• Max. lights per switch: 10 if not linked to Hue bridge

· Minimal battery lifetime: 3 a

· Mounting options: freestanding, wall

· Software upgradeable: when connected to Hue bridge

· Switch depth: 11 mm

· Switch height: 92 mm

· Switch width: 35 mm

· Wall plate depth: 14 mm

· Wall plate height: 115 mm

· Wall plate width: 70 mm

Zigbee Light link: protocol IEEE

802.15.4

What's in the box

• Bridge: 1

• Ethernet network cable: 1

• Hue bulbs: 3

· Hue dimmer switch: 2

· Power adapter: 1

What's supported

· Voice assistants: Amazon Alexa. Apple HomeKit (Via Hue Bridge), Google Assistant, Microsoft Cortana (Via Hue Bridge)

Packaging dimensions and weight

• EAN/UPC - Case: 8718699696924

· SAP Gross Weight EAN (Piece): 0.000

· Net Weight (Piece): 0.197 kg

· SAP Length (Piece): 0.000

· SAP Width (Piece): 0.000

. SAP EAN/UPC - Set: 8718699696917



© 2019 Signify Holding. All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not

intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips

Issue date: 2019-09-25

Version: 0.227